

YAHOO! search

Search Home - Yahoo! - Help

Your Search: multi-tier development application

Yahoo! Search

Advanced Web Search  
Preferences
[Web](#) [Images](#) [Directory](#) [Yellow Pages](#) [News](#) [Products](#)

SPONSOR RESULTS (What's this?) (Become a Sponsor)

- **Web and C/S Development with Delphi** ... InThink specializes in Delphi based development for Client/Server, Multi-Tier and Web applications. [www.inthink.com](#)

TOP 20 WEB RESULTS out of about 49,200

1. **Multi-Tier Development Products** ... much better. MIDware is a starting point for multi-tier application development. It is freeware for noncommercial use. WinDS can ... [www.kylecordes.com/tag/mag.html](#) - 9k - [Cached](#)
2. **Welcome to UDSL - UK Software Development Application Multi Tier** ... Application Development. We can provide application programming services through the complete life ... MySQL or MS SQL Server database • Multi-tier, CORBA and ... [www.udsl.com/application\\_development.php](#) - 12k - [Cached](#)
3. **Delphi training class, course in the USA, UK** ... D601 - Delphi Multi-tier Development, Next Course Dates, ... Delphi database development with a client server database ... details of setting up a 2-tier c/s application. ... [www.webtechcorp.co.uk/delphi-training-courses/delphi-training-courses-delphi-601.htm](#) - 25k - [Cached](#) - [More pages from this site](#)
4. **Lowest prices multi-tier+development+enterprise+computers** ... with Visual Basic 6.0, including a full-blown client/server application for reuse. ... N-Tier Development WMS DNA. ... Visual Basic 5.0 Multi-Tier Development Video. ... [www.book4sure.com/multi-tier-development-enterprise-computers.html](#) - 38k - [Cached](#) - [More pages from this site](#)
5. **Delphi Client/Server and Multi-Tier Development Training** ... Client/Server and Multi-Tier development, including SQL ... The Request/Response Model: Multi-Tier Applications. ... ClientDataSet: Creating a TClientDataSet Application. ... [www.bluestarcorp.com/delphi\\_training\\_dcs.ctm](#) - 35k - [Cached](#) - [More pages from this site](#)
6. **Grey Matter India-Application Design and Development,Wireless** ... legacy applications. At GMI we implement a multi-tier Application development model for Project execution. As applications become ... [www.graymatterindia.com/design\\_development.htm](#) - 18k - [Cached](#)
7. **Delphi training class, course in the USA, UK** ... D601 - Delphi Multi-tier Development Price: US \$1,995, UK £1,499 ... Delphi database

<http://search.yahoo.com/search?p=multi-tier+development+application&ei=UTF-8&fr=fp-t...> 11/12/03  
 Yahoo! Search Results for multi-tier development application Page 3 of 4

... The steps to moving an application into multi-tier development are as follows:  
 - Take inventory of your current application. - Looking for documentation ...  
 portal.dfpug.de/ftpug/Dokumente/Konferenzen/VFP-Konferenz%201998/E-TIER.doc  
 - View as html - [More pages from this site](#)

16. **dBforums - The Microsoft view of multi-tier development** ... dBforums Archive for: comp.lang.cobol The Microsoft view of multi-tier development. ... es the User Interface (or 1st tier of your n-tier application design), the ... [dbforums.com/arch/91/2002/12/616829](#) - 35k - [Cached](#)
17. **Bookpool: Distributed COM Application Development Using Visual** ... tier application. Author Bio. JIM MALONEY is President of Jim Maloney & Company, Inc., in St. Petersburg, FL, a company specializing in Software Development in ... [www.bookpool.com/x/67x2ij96/vm/0130848743](#) - 21k - [Cached](#) - [More pages from this site](#)
18. **Enterprise JavaBeans: Simplifying Development of Distributed** ... advantages for distributed-application development, it does not transparently handle the system-level complexities that multi-tier distributed applications ... [info.borland.com/visibroker/papers/ejbwhyjb.html](#) - 35k - [Cached](#) - [More pages from this site](#)
19. **PITON GLOBAL: IT Offshore Consulting for piton philippines and** ... and manufacturing information technology piton philippines, mobile application development, multi tier application development and multimedia piton philippines ... [www.piton-global.com/PITON-Philippines-61.html](#) - 67k - [Cached](#) - [More pages from this site](#)
20. **Oracle Corporation Jdeveloper 2.0** ... with Oracle® J2EE, the world's first Internet database, and Oracle® Application Server 4.0, as well as new support for multi-tier development with Enterprise ... [www.corba.org/vendors/pages/oraclejdeveloper.html](#) - 6k - [Cached](#)

Results Page:

1 2 3 4 5 6 7 8 9 10 ► Next

[Web](#) [Images](#) [Directory](#) [Yellow Pages](#) [News](#) [Products](#)

Your Search: multi-tier development application

Yahoo! Search

Advanced Web Search  
Preferences

Save time with the Yahoo! Companion Toolbar

[Search Web](#) [Search This Site](#) [Highlight](#) [Bookmarks](#)

Copyright © 2003 Yahoo! Inc. All rights reserved. [Privacy Policy](#) [Terms of Service](#) [Ad Feedback](#)  
 Search Technology provided by Google

<http://search.yahoo.com/search?p=multi-tier+development+application&ei=UTF-8&fr=fp-t...> 11/12/03

development with a client server database ... setting up a 2-tier c/s application. ... [www.dp-research.com/delphi\\_training/delphi-hands-on-training-delphi\\_601.htm](#) - 22k - [Cached](#) - [More pages from this site](#)

8. **Amazon.com: Books: Distributed COM Application Development Using** ... Application development An Authoritative Selection of IT and Business Management ... C++/MFC programmer whose serious about multi-tier development, you've come to ... [www.amazon.com/exec/obidos/tg/detail/-/0130848743?v=glance](#) - 70k - [Cached](#) - [More pages from this site](#)
9. **Client Server / Multi-Tier Development** ... Client Server / Multi-Tier Development: ... Intermedia is a leader in client server application development specializing in custom software development with the ... [www.intermediagroup.com/Corporate/Core\\_Services/Client\\_Server\\_Multi-Tier\\_Dev/body\\_client\\_server\\_multi-tier\\_dev.html](#) - 4k - [Cached](#)
10. **Delphi training UK class, training course in the UK, USA, FL** ... D601 Delphi Multi-tier Development. ... Delphi database development with a client server database ... does not cover the details of setting up a 2-tier c/s application. ... [www.webtechcorp.co.uk/delphi-training-courses/delphi-training-courses-delphi-601.htm](#) - 17k - [Cached](#) - [More pages from this site](#)
11. **Synapse Communications - Software Development - Offshore Software** ... explorer plugin, client server application, consultancy, software outsourcing, development, application, outsource programming, multi-tier client-server systems ... [www.synapsecommunicationspyltd.com/solutions/development\\_soft.shtml](#) - 26k - [Cached](#)
12. **ACCU Reviews: Distributed COM Application Development** ... Book Review Distributed COM Application Development by Jim Maloney Recommended. ... Multi-tier applications have been written about and discussed for years. ... [www.accu.org/bookreviews/public/reviews/dd002265.htm](#) - 6k - [Cached](#) - [More pages from this site](#)
13. **Compuware Simplifies and Extends Multi-tier Application** ... Compuware Simplifies and Extends Multi-tier Application Development and Deployment through XML. ... [www.compuware.com/presroom/news/1157\\_ENG\\_HTML.htm](#) - 21k - [Cached](#) - [More pages from this site](#)
14. **Search The Software 500 Application Development Application Focus (PDF)** ... Aress The Software 500 Application Development Application Focus Application ... Demand Chain The Multi-Tier Demand Visibility ... across complex multitier sales and ... [www.validero.com/site/html/news\\_and\\_events/articles/docs/SoftwareTag.pdf](#) - View as html
15. **Converting Single Tier Applications to Multi Tier Applications (MICROSOFT WORD)**

<http://search.yahoo.com/search?p=multi-tier+development+application&ei=UTF-8&fr=fp-t...> 11/12/03  
 Yahoo! Search Results for multi-tier development application Page 4 of 4

<http://search.yahoo.com/search?p=multi-tier+development+application&ei=UTF-8&fr=fp-t...> 11/12/03

Searching for PHRASE netcentric tier.

Restrict to: Header Title Order by: Citations Hubs Usage Date Try: Amazon B&amp;N Google (RU) Google (Web) CSB DBLP

No documents match Boolean query. Trying non-Boolean relevance query.

590 documents found. Only retrieving 125 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

A Comparison Study of the Two-Tier and the Single-Tier Personal... Lin (1996) (Correct) (1 citation)

1 A Comparison Study of the Two-Tier and the Single-Tier Personal Communications Systems Yi-Bing Lin  
Email: liny@csie.nctu.edu.tw Abstract A two-tier PCS system integrates the high tier PCS system and liny.csie.nctu.edu.tw/wm95.ps

Performance Modeling of Multi-Tier PCS System - Yi-Bing Lin (Correct) (3 citations)

Performance Modeling of Multi-Tier PCS System Yi-Bing Lin, Li-Fung Chang, and Noerpel Bellcore Abstract The emergence of multi-tier wireless access is being driven by the different service in different environments. Three major tiers of wireless access are likely to emerge to liny.csie.nctu.edu.tw/jw1995e.ps

Overlaid Cellular System Design with Cell Selection... Anpelagan, Katzela (Correct)

In this paper, a cellular system consisting of two tiers with microcell in the lower-tier and multiple consisting of two tiers with microcell in the lower-tier and multiple levels of (macro)cells in the and multiple levels of (macro)cells in the upper-tier, is considered to separately serve mobiles with www.comm.toronto.edu/~irene/papers/alagan.ps

A Programming Methodology for Dual-Tier Multicomputers - Scott Baden University (1999) (Correct) (5 citations)

Engineering: A Programming Methodology for Dual-tier Multicomputers Scott B. Baden University of A Programming Methodology for Dual-tier Multicomputers Abstract Hierarchically-organized with single processor nodes. These dual-tier computers introduce many new factors into the ftp.cs.ucsd.edu/pub/scg/papers/1999/k2-tse99.ps.gz

Consistency of Prosodic Transcriptions: Labelling Experiments... Rayett (1996) (Correct) (1 citation)

of the labelling system 3 2.1 The functional tier .  
3.2.2 The tone tier .  
3.2.3 The break index tier .  
www.ims.uni-stuttgart.de/projekte/veibmobilm-reports/report-155-96.ps.gz

A Programming Model for Block-Structured Scientific Calculations... Fink (1998) (Correct) (2 citations)

.26 1. Single-tier code .  
.27 2. Multi-tier code .  
.31 3. Multi-tier code with communication overlap .  
ftp.cs.ucsd.edu/pub/scg/papers/1998/thesis.ps.gz

Evaluation of Two- and Three-Tier Database Connections... Unglauben Hillen (Correct)

Evaluation of Two- and Three-Tier Database Connections for a Java Based Medical  
Using Java Database Connectivity (JDBC) two-tier and three-tier applications have been developed.  
Database Connectivity (JDBC) two-tier and three-tier applications have been developed. The middle tier  
SunSITE Informatik RWTH-Aachen DE/Publications/CEUR-WS/vol-27/A098.ps

Security Administration for Federations, Warehouses, and... Arnon Rosenthal (1999) (Correct)

is harder in databases that have multiple tiers of derived data, such as federations, warehouses,  
(e.g. security requirements) expressed at each tier must be visible and understood at the other tier.  
tier must be visible and understood at the other tier. We describe several use cases in which tiers  
www.cs.bc.edu/~sclaire/papers/secadmin.ps

Recycling Decision Trees In Numeric Domains - Kutat (Correct)

<http://citeseer.nj.nec.com/cs?q=netcentric+tier&submit=Search+Documents&cs=1>  
netcentric tier - ResearchIndex document query11/12/03  
Page 3 of 3Keywords: decision trees, context, second tier Edited by: Rudl Murn Received: Revised:  
partially be rect ed by the use of a cheap second tier implemented as a linear class ar. The transfer of  
context is accomplished by re-inducing the second tier, without the need to re-induce the more expensive  
www.cacs.usl.edu/~mkubat/publications/recycling.psThe Partitur Format at BAS - Schiel, Burger, Geumann, Wailhammer (1995) (Correct) (7 citations)  
but are time aligned like the individual tiers of a score. Hence this format was called 'BAS'  
to the end of file. It contains the different tiers of the BAS Partitur Format. Each tier is  
different tiers of the BAS Partitur Format. Each tier is identified by a unique label. The order of  
www.phone.kit.uni-muenchen.de/Publications/Grenade-98-Partitur.ps

Three-Tier Distribution Architecture, Page 1 of 4 - Three-Tier Distribution (Correct)

three-tier distribution architecture, page 1 of 4 Three-Tier  
distribution architecture, page 1 of 4 Three-Tier Distribution Architecture Robert Hirschfeld  
of components and resources involved. The three-tier distribution architecture describes the  
www.cs.wustl.edu/~schmidt/PLoP-98/hirschfeld.ps.gz

Haskell Server Pages - Functional Programming and the... Meijer, van Velzen (2000) (Correct)

Programming and the Battle for the Middle Tier Erik Meijer & Denny van Velzen Utrecht University  
web pages and simplify the task of building middle tier components. This article gives an overview of HSP  
applications are often structured using a three-tier model, which consists of: User-Service Tier:  
www.cs.nott.ac.uk/~gmh/papers/3.ps

Performance Modeling of Polling Deregistration for Unlicensed... Anthony Noerpel (1996) (Correct)

area of the system venue. In the case of a multi-tier implementation the wireless system can relay this  
with the licensed PCS systems such as intermediate tier and high tier microcellular and cellular phone  
PCS systems such as intermediate tier and high tier microcellular and cellular phone networks. In  
liny.csie.nctu.edu.tw/jac65.ps

Runtime Support for Multi-Tier Programming of Block-Structured... Fink, Baden (1997) (Correct) (8 citations)

Runtime Support for Multi-Tier Programming of Block-Structured Applications on  
of California, San Diego 1 Introduction Multi-tier parallel computers, such as clusters of symmetric  
for high-performance computing (1)A multi-tier computer, with several levels of locality and  
now.cs.berkeley.edu/dumps/kelp2\_scope97.ps

Integrating Pattern-Based Reasoning In Multimodal Decision... Jack Gelfand (Correct)

trustworthy. Hoyle is organized into the two-tier hierarchy shown in Figure 1. Advisors in tier 1  
two-tier hierarchy shown in Figure 1. Advisors in tier 1 are guaranteed to be correct they perform at  
too is trustworthy. In contrast, the Advisors in tier 2 are heuristic, because either their reasoning  
www.princeton.edu/~jg/AAAI-multimodal.ps

The Design Logic Project - Filippo Salustri (Correct)

on technical systems [HE92] The DLP and netcentricity I am still exploring how exactly the DLP  
I am still exploring how exactly the DLP will be netcentric some key points on this are discussed here. A  
salustri.esxf.uwindser.ca/~fil/Papers/dlp-teamcad97.ps

CORBA Fault-Tolerance: why it does not add up - Frolund, Guerraoui (1999) (Correct) (4 citations)

reliability and high availability in three-tier applications. We document issues in using the  
coincides with the emergence of so-called three-tier architectures. These architectures match the  
application servers is an important aspect of three-tier applications. Stateless servers do not have host  
www.hpl.hp.com/personal/Svend\_Frolund/docs/fdc99.ps

On the Use of Genetic Algorithms In Database Client Clustering - Je-Ho Park Vinay (Correct)

Brooklyn, NY 11201 Abstract In conventional two-tier client-server databases, clients access and modify  
order to overcome this scalability problem, a three-tier client-server configuration has been proposed that  
populations. We compare the performance of the two-tier and three-tier configurations with respect to the  
nazos.poly.edu/~ed/CACHE/C-tai99.ps

First 20 documents Next 20

Try your query at: Amazon Barnes &amp; Noble Google (RI) Google (Web) CSB DBLP

<http://citeseer.nj.nec.com/cs?q=netcentric+tier&submit=Search+Documents&cs=1>

11/12/03

**CiteSeer**Find: 

Searching for netcentric and tier.

Restrict to:  Title Order by: Citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP

System busy. Please try later, or try Google (RI)

No documents match Boolean query. Trying non-Boolean relevance query.

715 documents found. Only retrieving 250 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

Has Computer Architecture Exceeded Its Teach-By-Date? - Alan Clements School (Correct)  
It is a make room for new material such as netcentric and web-based computing, and multimedia-based  
file.engr.pitt.edu/ia2001/papers/1438.pdf

A Comparison Study of the Two-Tier and the Single-Tier Personal... - Lin (1996) (Correct) (1 citation)

1 A Comparison Study of the Two-Tier and the Single-Tier Personal Communications  
1 A Comparison Study of the Two-Tier and the Single-Tier Personal Communications Services Systems Yi-Bing  
Email: liny@csie.ncu.edu.tw Abstract A two-tier PCS system integrates the high tier PCS system and  
lmy.csie.ncu.edu.tw/wrn90.ps

Unknown - Management Objectives Targeted (Correct)

posing the greatest risk in the immediate future. Tiered Evaluation of Cleanup Objectives: Per the ASTM  
of risk-based cleanup standards proceeds in a tiered manner, designed to match the level of effort to  
effort to the relative complexity of each site. The tiered process begins with a direct comparison of site  
www.dnr.state.wi.us/org/aw/r/archives/pubs/RR562.pdf

Performance Modeling of Multi-Tier PCS System - Yi-Bing Lin (Correct) (3 citations)

Performance Modeling of Multi-Tier PCS System Yi-Bing Lin, Li-Fung Chang, and  
Noerpel Bellcore Abstract The emergence of multi-tier wireless access is being driven by the different  
service in different environments. Three major tiers of wireless access are likely to emerge to  
lmy.csie.ncu.edu.tw/jwn95a.ps

Overlaid Cellular System Design with Cell Selection... - Anpalagan, Katzeia (Correct)

In this paper, a cellular system consisting of two tiers with microcell in the lower-tier and multiple  
consisting of two tiers with microcell in the lower-tier and multiple levels of (macro)cells in the  
and multiple levels of (macro)cells in the upper-tier, is considered to separately serve mobiles with  
www.comn.toronto.edu/~irene/papers/alagan.ps

The Determinants of The Wealth Effects Of Banks' Expanded... - Ely, Robinson (Correct)

The cap might also affect the choice between Tier I and Tier II ineligible securities. Tier I  
cap might also affect the choice between Tier I and Tier II ineligible securities. Tier I authority allows  
between Tier I and Tier II ineligible securities. Tier I authority allows BHC securities subsidiaries to  
www.dallasfed.org/ftr/pubs/pdfs/fspaper/w99-1.pdf

A Programming Methodology for Dual-tier Multicomputers - Scott Baden University (1999) (Correct)

(5 citations)  
Engineering. A Programming Methodology for Dual-tier Multicomputers Scott B. Baden University of  
A Programming Methodology for Dual-tier Multicomputers Abstract Hierarchically-organized  
with single processor nodes. These dual-tier computers introduce many new factors into the  
ftp.cs.ucsd.edu/pub/scg/papers/1999/k2-tse99.ps.gz

Risk-Based In Situ Bioremediation Design - Smalley (1992) (Correct) (1 citation)

Materials (ASTM, 1995)ASTM describes RBCA as a "tiered" approach to risk assessment with movement from  
assessment with movement from a lower to a higher tier only when necessary. Within each tier, risk  
to a higher tier only when necessary. Within each tier, risk assessment and remedial action are  
cee.ce.uluc.edu/emas/BryanTHESIS\_main.PDF

Automated Delivery of Web Documents Through a Caching... - Rodriguez, Biersack, Ross (1999) (Correct)

<http://citeseer.nj.nec.com/cs?q=netcentric+and+tier&submit=Search+Documents&cs=1>  
netcentric and tier - ResearchIndex document query11/12/03  
Page 3 of 3Programming and the Battle for the Middle Tier Erik Meijer & Danny van Velzen Utrecht University  
web pages and simplify the task of building middle tier components. This article gives an overview of HSP  
applications are often structured using a three-tier model, which consists of: User-Services Tier:  
www.ce.nott.ac.uk/~gmh/papers/3.ps

First 20 documents Next 20

Try your query at: Amazon Barnes &amp; Noble Google (RI) Google (Web) CSB DBLP

CiteSeer - citeseer.org - Terms of Service - Privacy Policy - Copyright © 1997-2002 NEC Research Institute

(2 citations)

to those subscribed children caches in the next tier using unicast. Pushing through a caching  
lot of bandwidth since it uses unicast among cache-tiers. We present a push scheme which combines caching  
document is "broadcasted" to all caches in the next tier using a multicast distribution. For each parent  
www.eurocom.fr/~ross/push.ps

Consistency of Periodic Transcriptions: Labeling Experiments... - Reyelt (1996) (Correct) (1 citation)

of the labeling system 3.2.1 The functional tier.

. 3.2.2 The tone tier.

. 3.2.3 The break index tier.

www.ims.uni-stuttgart.de/projekte/VerbMobil/Vm-reports/report-155-96.ps.gz

Heuristics For The Reduction Of Complexity In UMTS Radio... - Heldack, Draeger, (Correct)

specific areas within each cell of the first two tiers contribute significantly to the uplink  
in complexity by neglecting interference from high-tier cells [2, 3] Starting with these findings some  
- 1km) investigations are limited to a range of 3 tiers of the homogeneous network. As the coverage is  
www.ct.kcl.ac.uk/Private/Mischa/PIMRC2002/support/./papers/cr1343.pdf

A Programming Model for Block-Structured Scientific Calculations... - Fink (1998) (Correct) (2 citations)

. 26 1. Single tier code.

. 27 2. Multi-tier code

. 31 3. Multi-tier code with communication overlap.

ftp.cs.ucsd.edu/pub/scg/papers/1998/thesis.ps.gz

Evaluation of Two- and Three-Tier Database Connections... - Unglaube, Hillen, (Correct)

Evaluation of Two- and Three-Tier Database Connections for a Java Based Medical  
Using Java Database Connectivity (JDBC) two-tier and three-tier applications have been developed.  
Database Connectivity (JDBC) two-tier and three-tier applications have been developed. The middle tier  
SunSITE.Informatik.RWTH-Aachen.DE/Publications/CEUR-WS/Vol-27/A008.ps

Security Administration for Federations, Warehouses, and... - Amon Rosenthal (1999) (Correct)

is harder in databases that have multiple tiers of derived data, such as federations, warehouses,  
(e.g. security requirements) expressed at each tier must be visible and understood at the other tier.  
tier must be visible and understood at the other tier. We describe several use cases in which tiers  
www.cs.bc.edu/~sclore/papers/secadmin.ps

Recycling Decision Trees In Numeric Domains - Kubet (Correct)

Keywords: decision trees, context, second tier Edited by: Rudi Mun Received: Revised:  
partially be rected by the use of a cheap second tier implemented as a linear classifier. The transfer of  
context is accomplished by re-inducing the second tier, without the need to re-induce the more expensive  
www.cacs.usl.edu/~mkubat/publications/recycling.ps

Accounting for Economic and Regulatory Capital in RAROC Analysis - Falkenstein (1997) (Correct)

divided by risk-weighted assets) including a Tier 1 capital ratio of at least 4% This is  
by a leverage ratio requirement, defined as Tier 1 capital divided by average total assets after  
bank has more stringent requirements (Tier 1 capital ratio of at least 6 % total capital of  
www.stalcken.com/rarocreg.PDF

The Partitur Format at BAS - Schiel, Burger, Geumenn, Weihammer (1998) (Correct) (7 citations)

but are time aligned like the individual tiers of a score. Hence this format was called "BAS"  
to the end of file. It contains the different tiers of the BAS Partitur Format. Each tier is  
different tiers of the BAS Partitur Format. Each tier is identified by a unique label. The order of  
www.phonetik.uni-muenchen.de/Publications/Grenada-98-Partitur.ps

Three-Tier Distribution Architecture, Page 1 of 4 - Three-Tier Distribution (Correct)

three-tier distribution architecture, page 1 of 4 Three-Tier Distribution Robert Hirschfeld  
distribution architecture, page 1 of 4 Three-Tier Distribution Architecture Robert Hirschfeld  
of components and resources involved. The three-tier distribution architecture describes the  
www.cs.wustl.edu/~schmidt/PLoP-96/hirschfeld.ps.gz

Haskell Server Pages - Functional Programming and the... - Meijer, van Velzen (2000) (Correct)

<http://citeseer.nj.nec.com/cs?q=netcentric+and+tier&submit=Search+Documents&cs=1>

11/12/03

Searching for netcentric and tier and framework.

Restrict to: Header Title Order by: Citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. Only retrieving 250 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

A Comparison Study of the Two-Tier and the Single-Tier Personal... Un (1996) (Correct) (1 citation)  
1 A Comparison Study of the Two-Tier and the Single-Tier Personal Communications  
Iny.csie.nctu.edu.tw/w96.ps

Performance Modeling of Multi-Tier PCS System - Yi-Bing Lin (Correct) (3 citations)  
Performance Modeling of Multi-Tier PCS System Yi-Bing Lin, Li Fung Chang, and  
Iny.csie.nctu.edu.tw/wjwn95a.ps

Formalising Abilities and Opportunities of Agents - van Linder, van der Hoek, Meyer (1998) (Correct) (2 citations)

its and other agent's actions. Thus, our KARO-framework tries to deal formally with the notion of formalise agents belong to what we call the KARO-framework. In this framework, the name of which is to what we call the KARO-framework. In this framework, the name of which is inspired by the  
ftp.cs.uu.nl/pub/RIU/CS/techreps/CS-1998/1998-08.ps.gz

A Unifying Type-Theoretic Framework for Objects - Hofmann, Pierce (1993) (Correct) (23 citations)  
University Press 1 A Unifying Type-Theoretic Framework for Objects Martin Hofmann Benjamin Pierce  
and equality rules. The resulting abstract framework provides a basis for justifying and comparing  
introduce the basic constructions of our abstract framework. We state a simple syntactic condition on  
www.cs.indiana.edu/pub/pierce/abstrop.ps.gz

Daily management of an earth observation satellite... Lemaitre, Verlaque (Correct)  
Valued Constraint Satisfaction Problem, a general framework for which our team has developed a powerful set  
Problem formulation (VCSP) is a general framework which captures a large number of discrete  
algorithms. EOSSPs can be casted in this general framework. The aim of this work reported in this paper is  
ftp.cit.ri/pub/lemaitre/Papers/97-LOG.ps

Statistical Learning, Localization, and Identification of... Hornegger, Niemann (1995) (Correct) (1 citation)  
field of computer vision. An abstract theoretical framework is provided, which is suitable for automatic  
paper describes a general uniform statistical framework for learning, localization, and classification  
The abstract explanation of the mathematical framework is followed by a concrete application:  
www5.informatik.uni-erlangen.de/TeX/Literatur/ppe-dir/1995/Hornegger95:SLL.ps.gz

Has Computer Architecture Exceeded Its Teach-By-Data? - Alan Clements School (Correct)  
it to make room for new material such as netcentric and web-based computing, and multimedia-based  
file.engng.pitt.edu/fie2001/papers/1438.pdf

Constraints and Universal Algebra - Jeavons, Cohen, Pearson (1998) (Correct)  
give a number of examples to illustrate how this framework can be used to express a wide variety of  
The constraint satisfaction problem provides a framework in which it is possible to express, in a  
specified subsets of variables. The mathematical framework used to describe constraint satisfaction  
www.dcs.rhmc.ac.uk/research/compint/publications/constraints/pubs-ps/con\_and\_universal.ps

Overlaid Cellular System Design with Cell Selection... Anpalagan, Katzela (Correct)  
In this paper, a cellular system consisting of two tiers with microcell in the lower-tier and multiple  
www.comm.toronto.edu/~irene/papers/alagan.ps

A Meta-theory for Structured Presentations in the COC - Shulman (1997) (Correct)

: 39 3.1 The Form of the Underlying Logical Framework Statements :43 3.2 MF  
definitions to the context of the logical framework. These new meanings and usage are defined in

http://citeseer.nj.nec.com/cs?q=netcentric+and+tier+and+framework&cs=1  
netcentric and tier and framework - ResearchIndex document query

11/12/03  
Page 3 of 3

CiteSeer - citeseer.org - Terms of Service - Privacy Policy - Copyright © 1997-2002 NEC Research Institute

presentation styles and discourses. Logical framework is a formal system that may be used to codify  
cse.ogi.edu/pub/tech-reports/1997/97-TT-001.ps.gz

Natural Deduction for Intuitionistic Non-Commutative Linear... Polekow, Pfenning (1999) (Correct) (5 citations)  
that are not captured within the intuitionistic framework, such as resource usage, computational  
the Lambek calculus (Lam58) into a functional framework which also permits ordinary and linear  
it is a candidate for a foundation of a logical framework and logic programming language along the lines  
pecan.srv.cs.cmu.edu/sfscs.cmu.edu/user/fp/www/papers/lca99.ps.gz

Conjunctive Query Containment in Description Logics... Calvanese, De (1997) (Correct) (7 citations)  
Most of the results in databases deal with a framework where the database schema is expressed in a  
for query containment which refers to a general framework where: in The database (or knowledge base)  
are naturally expressed in an object-oriented framework) and many other forms of constraints. We  
www.dia.uniroma1.it/pub/calvanese/calv-degi-lenz-DL-97.ps.gz

Intelligent Computing About Complex Dynamical Systems - Zhao (1994) (Correct)  
themes-computation and reasoning-serves as a framework for coherently addressing these issues and  
www.cs.ohio-state.edu/insight/papers/mcs.ps

Recommendation X.904 - Basic Reference (1994) (Correct)  
processing has lead to a need for a co-ordinating framework for the standardisation of Open Distributed  
This Reference Model of ODP provides such a framework. It creates an architecture within which  
the definition of the concepts and analytical framework and notation for normalised description of  
ftp.gtc.com/pub/odp/1994/part4\_p2.ps.gz

Talking Vs Taking: Speech Access To Remote Computers - Yankelovich (1994) (Correct) (2 citations)  
To this end, the project team is building a framework for speech applications and developing a set of  
developing prototype applications to test the framework and to experiment with speech interface design  
interface. Our aim is to create a similar framework, but with most or all of the interaction  
www.sunlabs.com/research/speech/publications/chi94/CHI94Short.ps

Consistency of Prosodic Transcriptions: Labeling Experiments... Revett (1996) (Correct) (1 citation)  
of the labelling system 3 2.1 The functional tier  
www.ins.uni-stuttgart.de/projekte/verbmobil/vm-reports/report-155-96.ps.gz

Learning Planning Operators by Observation and Practice - Wang (1994) (Correct) (12 citations)  
experimentation (Gil 1992) This paper describes a framework for learning planning operators by observing  
the threshold. In conclusion, we have described a framework for learning planning operators by observation  
its effectiveness in several domains. In our framework, operators are learned from  
www.rpal.rockwell.com/~me/ai/p94.ps

Optimized Software Synthesis for Digital Signal... Jürgen Teich (1998) (Correct) (1 citation)  
for Memory Optimization 7 2.1 The SDF-scheduling framework 7  
the Evolutionary Algorithm to the Existing Framework 10 2.3.1 Exploration of topological sorts  
may be considered as part of a general framework that considers general SDF graphs and generates  
ftp.uk.ee.ethz.ch/pub/people/zitzler/TZB1998a.ps.gz

Evaluation of Two- and Three-Tier Database Connections... Unglauben Hillen (Correct)  
Evaluation of Two- and Three-Tier Database Connections for a Java Based Medical  
SunSITE.Informask.RWTH-Aachen.DE/Publications/CEUR-WS/Vol-27/A086.ps

Security Administration for Federations, Warehouses, and... Arnon Rosenthal (1999) (Correct)  
is harder in databases that have multiple tiers of derived data, such as federations, warehouses,  
negotiation support is also available there. Frameworks for building and extending such tools are  
(e.g. outerjoin, pivot) a component framework that allows administrators to incrementally  
www.cs.bc.edu/~score/papers/secadmin.ps

First 20 documents Next 20

Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP

http://citeseer.nj.nec.com/cs?q=netcentric+and+tier+and+framework&cs=1

11/12/03

Searching for **PHRASE develop tier**.

Restrict to: Header Title Order by: Citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP

**No documents match Boolean query. Trying non-Boolean relevance query.**

1000 documents found. **Only retrieving 250 documents (System busy - maximum reduced).** Retrieving documents... **Order: relevance to query.**

A Comparison Study of the Two-Tier and the Single-Tier Personal.. - Lin (1996) (Correct) (1 citation)  
service (PCS) technologies have been **developed** to provide wireless service in different manually) switch between the different **tiers**. The **development** of multi-tier handset has recently been  
1 A Comparison Study of the Two-Tier and the Single-Tier Personal Communications  
liny.csie.nctu.edu.tw/wn96.ps

Performance Modeling of Multi-Tier PCS System - Yi-Bing Lin (Correct) (3 citations)  
Performance Modeling of Multi-Tier PCS System Yi-Bing Lin, Li Fung Chang, and  
Noerpel Bellcore Abstract The emergence of multi-tier wireless access is being driven by the different service in different environments. Three major **tiers** of wireless access are likely to emerge to  
liny.csie.nctu.edu.tw/ijwin95a.ps

Overlaid Cellular System Design with Cell Selection.. - Anpalagan, Katzela (Correct)  
with the scarce radio spectrum have led to the **development** of the cellular concept [1]In a cellular In this paper, a cellular system consisting of two **tiers** with microcell in the lower-tier and multiple consisting of two **tiers** with microcell in the lower-tier and multiple levels of (macro)cells in the  
www.comm.toronto.edu/~irene/papers/alagan.ps

A Programming Methodology for Dual-tier Multicomputers - Scott Baden University (1999) (Correct) (5 citations)  
capabilities. In the interest of conserving **development** costs, a **developer** may choose to defer In the interest of conserving **development** costs, a **developer** may choose to defer treatment of "advanced" Engineering. A Programming Methodology for Dual-tier Multicomputers Scott B. Baden University of  
ftp.cs.ucsd.edu/pub/scg/papers/1999/k2-tse99.ps.gz

Consistency of Prosodic Transcriptions: Labelling Experiments.. - Reyelt (1996) (Correct) (1 citation)  
lot of work in the SAM-Project was devoted to the **development** of label inventories and standard labelfile system for English prosody [4]This system was **developed** in accordance with the above criteria and of the labelling system 3 2.1 The functional **tier** .  
www.ims.uni-stuttgart.de/projekte/verbmobil/vm-reports/report-155-96.ps.gz

A Programming Model for Block-Structured Scientific Calculations.. - Fink (1998) (Correct) (2 citations)  
Programming Abstractions 2.1 Introduction We have **developed** Kernel Lattice Parallelism (KeLP)a small set the implementation. 39 Bader and J'aJ'a have **developed** SIMPLE [14]a set of collective  
. 26 1. Single-tier code .  
ftp.cs.ucsd.edu/pub/scg/papers/1998/thesis.ps.gz

Evaluation of Two- and Three-Tier Database Connections.. - Unglauben Hillen.. (Correct)  
two-tier and three-tier applications have been **developed**. The middletier is built with Figure 2 shows two general concepts of the **developed** database applications. The upper part of Evaluation of Two- and Three-Tier Database Connections for a Java Based Medical SunSITE.Informatik.RWTH-Aachen.DE/Publications/CEUR-WS/Vol-27/A098.ps

Security Administration for Federations, Warehouses, and.. - Arnon Rosenthal (1999) (Correct)  
or as a metadata-driven request translator in the **development** environment or user interface. Triggered is harder in databases that have multiple **tiers** of derived data, such as federations, warehouses, (e.g.security requirements) expressed at each **tier** must be visible and understood at the other **tier**.  
www.cs.bc.edu/~sciore/papers/secadmin.ps

Recycling Decision Trees in Numeric Domains - Kubat (Correct)

Keywords: decision trees, context, second tier Edited by: Rudi Murn Received: Revised:  
partially be rectified by the use of a cheap second tier implemented as a linear classifier. The transfer of  
context is accomplished by re-inducing the second tier, without the need to re-induce the more expensive  
[www.cacs.usl.edu/~mkubat/publications/recycling.ps](http://www.cacs.usl.edu/~mkubat/publications/recycling.ps)

The Partitur Format at BAS - Schiel, Burger, Geumann, Weilhammer (1998) (Correct) (7 citations)  
for Speech Signals (BAS) a new format has been **developed** and used over the last few years that shows  
new open format based on the SAM Label Format was **developed**, which circumvents most of the mentioned  
but are time aligned like the individual tiers of a score. Hence this format was called 'BAS'  
[www.phonetik.uni-muenchen.de/Publications/Granada-98-Partitur.ps](http://www.phonetik.uni-muenchen.de/Publications/Granada-98-Partitur.ps)

Three-Tier Distribution Architecture, Page 1 of 4 - Three-Tier Distribution (Correct)  
more freedom and increased flexibility leave the **developers** with more responsibilities. They have to  
three-tier distribution architecture, page 1 of 4 Three-Tier  
distribution architecture, page 1 of 4 Three-Tier Distribution Architecture Robert Hirschfeld  
[www.cs.wustl.edu/~schmidt/PLoP-96/hirschfeld.ps.gz](http://www.cs.wustl.edu/~schmidt/PLoP-96/hirschfeld.ps.gz)

Performance Modeling of Polling Deregistration for Unlicensed.. - Anthony Noerpel (1996) (Correct)  
area or the system venue. In the case of a multi-tier implementation the wireless system can relay this  
with the licensed PCS systems such as intermediate tier and high tier microcellular and cellular phone  
PCS systems such as intermediate tier and high tier microcellular and cellular phone networks. In  
[liny.csie.nctu.edu.tw/jsac95.ps](http://liny.csie.nctu.edu.tw/jsac95.ps)

Haskell Server Pages - Functional Programming and the.. - Meijer, van Velzen (2000) (Correct)  
the middle tier and the data access layer we have **developed** HaskellDB [15] To make effective use of the  
to match and type arbitrary XML. For this we are **developing** a new language XMLambda [24] which has XML  
Programming and the Battle for the Middle Tier Erik Meijer & Danny van Velzen Utrecht University  
[www.cs.nott.ac.uk/~gmh/papers/3.ps](http://www.cs.nott.ac.uk/~gmh/papers/3.ps)

Runtime Support for Multi-Tier Programming of Block-Structured.. - Fink, Baden (1997) (Correct) (6 citations)  
and W. B. Jones, A general programming model for **developing** scalable ocean circulation applications, in  
Runtime Support for Multi-Tier Programming of Block-Structured Applications on  
of California, San Diego 1 Introduction Multi-tier parallel computers, such as clusters of symmetric  
[now.cs.berkeley.edu/clumps/kelp2\\_iscope97.ps](http://now.cs.berkeley.edu/clumps/kelp2_iscope97.ps)

Integrating Pattern-Based Reasoning in Multimodal Decision.. - Jack Gelfand (Correct)  
reduces the number of contests Hoyle requires to **develop** consistent expert performance. With patterns and  
trustworthy, Hoyle is organized into the two-tier hierarchy shown in Figure 1. Advisors in tier 1  
two-tier hierarchy shown in Figure 1. Advisors in tier 1 are guaranteed to be correct they perform at  
[www.princeton.edu/~jgg/AAAI-multimodal.ps](http://www.princeton.edu/~jgg/AAAI-multimodal.ps)

CORBA Fault-Tolerance: why it does not add up - Frølund, Guerraoui (1999) (Correct) (4 citations)  
are taking CORBA seriously and envisage the **development** of critical distributed applications  
be separate concerns in fault-tolerant systems. In **developing** end-to-end re- 1 A complete specification  
reliability and high availability in three-tier applications. We document issues in using the  
[www.hpl.hp.com/personal/Svend\\_Frolund/docs/ftdcs99.ps](http://www.hpl.hp.com/personal/Svend_Frolund/docs/ftdcs99.ps)

On the Use of Genetic Algorithms in Database Client Clustering - Je-Ho Park Vinay (Correct)  
clustering solutions. To this end, we have **developed** detailed prototypes of the two architectures  
and (ii) a heuristic-based approach. We have **developed** fully distributed prototypes of the two and  
Brooklyn, NY 11201 Abstract In conventional two-tier client-server databases, clients access and modify  
[naxos.poly.edu/~ad/CACHE/C-tai99.PS](http://naxos.poly.edu/~ad/CACHE/C-tai99.PS)

Transactional Exactly-Once - Frølund, Guerraoui (1999) (Correct)  
replication and transactional techniques are **developed** for specific parts of the application, but  
applications were at the leading edge of **development**. Today, they are mainstream. In particular,  
Palo Alto, CA 94304 July 14, 1999 Abstract A three-tier application is organized as three layers. Front  
[lsewww.epfl.ch/~rachid/papers/00\\_010.ps.gz](http://lsewww.epfl.ch/~rachid/papers/00_010.ps.gz)

First 20 documents [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - [citeseer.org](http://citeseer.org) - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)